

# 5G CPE

AX5400

LTE Supported

- 4\*4 MU-MIMO
- Rapid one-button pairing
- VoLTE and VoNR supported
- Speeds up to 3.2 Gbps



5G Internet

Anytime, Anywhere

## Product Introduction

Xunison Hub D60 5G is a powerful 5G CPE with Wi-Fi 6 Mesh solution, low latency, and high capacity to connect more devices simultaneously.



### Support 802.11 a/b/g/n/ac/ax

Latest wireless technology with backward compatibility




### 5G

5G LTE provides a home Wi-Fi network with low latency, high speeds, and extensive coverage.



### High-Speed Wi-Fi 6

Wireless technology supporting the latest Wi-Fi standard 802.11ax including backward compatibility with legacy Wi-Fi devices.



### Wi-Fi Mesh

Eliminates Wi-Fi in-home dead zones and increases Wi-Fi network coverage area.



### Parental Control

Feature specifically for monitoring and controlling child's activity on the internet.



## Xunison Hub D60 5G

### SPECIFICATIONS

Data Range	NSA: 2.5Gbps (DL)/650Mbps (UL)
	SA: 2.1Gbps (DL)/900Mbps (UL)
	CAT16: LTE-FDD 1.0Gbps (DL)/150Mbps (UL)
Wireless LAN	Support 802.11 a/ b/g/n /ac/ax standard
	20/40/80/160 MHz bandwidth
	Channel adaption
	MSSID + Guest network
	WPS: PBC/PIN modes
	WPA/WPA2/WPA3 security
	DL MU-MIMO & OFDMA
Beamforming	
Wi-Fi Mesh	Wi-Fi Son/Easy MESH*
	One button pairing
Wi-Fi Antennas	Internal 2*2 2.4GHz & 4*4 5GHz antennas
	Gain: 3dBi
5G NR/LTE Antennas	Internal: 4*4 5G/LTE antennas
	LB: 2dBi
	MHB: 4dBi
	External TS9 port
Wireless Module	Auto/Manual network search
	Dual Link backup
	Traffic statistics
	VoLTE
Security	Built in firewall
	Defense of DoS ARP attacks/Port scan
	MAC Port filtering
	802.1x
Quality of Service control	802.11 e
	Classification of service flow*
	Port/VLAN/ IP rate limitation



Bracken Business Park, Bracken Rd, Sandyford Business  
Park, Sandyford, Dublin, Ireland

[www.xunison.com](http://www.xunison.com)



## Xunison Hub D60 5G

Network Protocols and Features	Operation modes: Bridge/Routed
	Connection modes: PPPoE/DHCP/Static
	IPv4, IPv6, IPv4/IPv6
	DHCP v4/v6 server
	Static (v4/v6) routing
	NAT/ALG/DMZ/virtual server
	ARP/ICMP/DNS proxy
	IGMP snooping and IGMP proxy*
	MLD snooping and MLD proxy*
	NTP
	VLAN
VPN: PPTP L2TP/IPSec	
Platform	CPU: Dual Core A53, 1.0 GHz
	FLASH: 128MB
	RAM: 512 MB
Physical Interface	2 x TS-9 External Antenna Ports
	1 x USB 2.0
	3 x LAN ports
	1 x WAN port
	1 x Phone port
	1 x SIM slot
	DC 12V Port
Buttons	PAIR
	RESET
	POWER
LED indicators	Wi-Fi indicator
	5G NR indicator
	4G LTE indicator
	Phone indicator
	Internet indicator
	Power indicator
	LAN port indicators



Bracken Business Park, Bracken Rd, Sandyford Business  
Park, Sandyford, Dublin, Ireland

[www.xunison.com](http://www.xunison.com)



## Xunison Hub D60 5G

Management	WebUI local management
	TR069 remote management
	Universal Plug and Play
	Online and Local software upgrade
Physical Specification	Operating Conditions: -10°C to 45°C
	Storage Conditions: -40°C to 70°C
	Humidity: 5% - 95%(non-condensing)
Package Includes	Xunison Hub D60 5G
	Quick Start Guide
	Power Adapter
	Ethernet Cable



Bracken Business Park, Bracken Rd, Sandyford Business  
Park, Sandyford, Dublin, Ireland

[www.xunison.com](http://www.xunison.com)



## Xunison Hub D60 5G



## DEVICE IMAGES

## DEVICE IDENTIFICATION

Brand	Xunison
Device name	Xunison Hub D60 5G
SKU:	
Part Number	
Barcode	
Serial Number	



Bracken Business Park, Bracken Rd, Sandyford Business  
Park, Sandyford, Dublin, Ireland

[www.xunison.com](http://www.xunison.com)